

Refereed Journals

1. **P.Heracleous**, J. Even, C. Ishi, M. Kondo, K. Takanohara, T. Kondo, N. Hagita, "Increasing speech intensity in Japanese patients with Parkinson's disease", *Computers in Biology and Medicine*, pp. ,2012,(under review).
2. **P.Heracleous**, J.Even, T. Miyashita, and N. Hagita, "Body-conductive acoustic sensors for robust human-human communication and automatic speech recognition", *Speech Communication*, pp. --, 2012, (under review).
3. **P.Heracleous**, C. T. Ishi, T. Miyashita, and N. Hagita, "Teleoperating Geminoid HI-1 anthropomorphic robot in noisy environments using alternative acoustic sensors", *International Journal of Advanced Robotic Systems: Speech Recognition*, 2012, (Minor revision).
4. **P.Heracleous**, M. Sato, C. T. Ishi, and N. Hagita, "Analysis of the visual Lombard effect and automatic recognition experiments", *Computer Speech and Language*, Available online 19 June 2012, ISSN 0885-2308, 10.1016/j.csl.2012.06.003(<http://www.sciencedirect.com/science/article/pii/S0885230812000447>)
5. **P.Heracleous**, P. Badin, G.Bailly, N. Hagita, "A Pilot Study on Augmented Speech Communication based on Electro-Magnetic Articulography", *Pattern Recognition Letters*, doi:10.1016/j.patrec.2011.02.009
6. **P.Heracleous** and Denis Beutemps, "Cued Speech: A visual mode for communication in the deaf society", *IEICE Electron. Express*, Vol.7, No.4, pp.234-239, (2010) .
7. **P.Heracleous**, D. Beutemps, and N. Aboutabit "Cued Speech Automatic Recognition in Normal-hearing and Deaf Subjects", *Speech Communication* 52 (2010), pp. 504-512, 2010.
8. **P.Heracleous**, V.-A.Tran, N. Takayuki, and K. Shikano, "Analysis and Recognition of NAM Speech Using HMM Distances and Visual Information", *IEEE Transactions on Audio, Speech, and Language Processing*, Vol. 18, Number 6, pp. 1528-1538, 2010.
9. **P.Heracleous**, D. Beutemps, V.-A.Tran, H. Loevenbruck, and G. Baiily, "Exploiting visual information in NAM recognition," *IEICE Transactions on Electronics Express*, Vol. 6 (2009), No. 2, pp. 77-83, 2009.
10. **P.Heracleous**, N.Aboutabit, and D.Beutemps, "Lip shape and hand location fusion for vowel recognition in French Cued Speech", *IEEE Signal Processing Letters*, Vol. 16, Issue 5, pp. 339-342, 2009.
11. **P.Heracleous**, Using Teager Energy Cepstrum and HMM distances in Automatic Speech Recognition and Analysis of Unvoiced Speech", *International Journal of Information and Communication Engineering* 5:12009 pp. 31-37, 2009. Abstracting & Indexing: SCIRUS, Google Scholar, EBSCO, GALE, INTUTE, DOAJ, Ulrich's & Serials Solutions, Electronic Journals Library, Zentralblatt MATH.
12. **P.Heracleous**, Kaino T., H.Saruwatari, K. Shikano, "Unvoiced speech recognition using tissue-conductive acoustic sensor", *EURASIP Journal on Advances in Signal Processing* Volume 2007, Article ID 94068, 11 pages, doi:1155/2007/94068 (2007).
13. **P.Heracleous**, T. Shimizu, "A Novel Approach for Modelling Non-keyword Intervals in a Keyword Spotter Exploiting Acoustic Similarities of Languages", *Speech Communication*, Vol. 45, Issue 4, pp. 373-386, 2005.
14. **P.Heracleous**, S.Nakamura, and K.Shikano, "Simultaneous Recognition of Distant-talking Speech of Multiple Sound Sources based on the 3-D N-best Search Method", *Journal of VLSI Signal Processing* 36, pp. 101-112, 2004.
15. **P.Heracleous**, S.Nakamura, T. Yamada, and K. Shikano, "A Microphone Array-based 3-D N-best Search for Simultaneous Recognition of Multiple Sound Sources", *Institute of Electronics Information and Communication Engineers, Trans. on Information & Systems* Vol.E85-D, No.6, pp.994-1002, Jun. 2002.

Book Chapters

16. **P. Heracleous**, D. Beutemps, H. Ishiguro, and N. Hagita, "Towards Augmentative Speech Communication", *Speech and Language Technologies, InTech*, pp. 303-318, 2011.

17. **P. Heracleous**, J. Even, C. Ishi, M. Kondo, K. Takanohara, T. Miyashita, and N. Hagita, "The role of the Lombard reflex in Parkinson's disease", IEEE 12th International Conference on BioInformatics and BioEngineering", pp. 392—395, 2012.
18. J. Even, **P. Heracleous**, C. Ishi, T. Miyashita, and N. Hagita, "Combining Laser Range Finders and local steered response power for audio monitoring", 2012 IEEE/RSJ International Conference on Intelligent Robots and Systems (IROS 2012), pp. 986—991, 2012.
19. **P. Heracleous**, D. Beutemps, and N. Hagita, "Continuous Phoneme Recognition in Cued Speech for French", EUSIPCO 2012, pp. 2090—2093, 2012.
20. **P. Heracleous**, J. Even, T. Miyashita, and N. Hagita, "Integrating body-conductive acoustic sensors for robust speech reech", IEEE International Instrumentation and Measurement Technology Conference (IEEE I2MTC 2012), pp. 2498--2502, 2012.
21. **P. Heracleous**, C. T. Ishi, T. Miyashita, and N. Hagita, "Body-conductive acoustic sensors in human-robot communication", International Conference on Language Resources and Evaluation (LREC), pp. 3340--3344, 2012.
22. **P. Heracleous**, J. Even, C. Ishi, T. Miyashita, and N. Hagita, "Fusion of standard and alternative acoustic sensors for robust automatic speech recognition", IEEE International Conference on Acoustics, Speech, and Signal Processing (ICASSP) 2012, pp. 4837--4840, 2012.
23. **P. Heracleous**, M. Sato, C. T. Ishi, H. Ishiguro, and N. Hagita, "Speech production in noisy environments and the effect on automatic speech recognition", The 17th International Congress of Phonetic Sciences, pp. 855--858, 2011.
24. J. Even, **P. Heracleous**, C. Ishi, and N. Hagita, "Multi-modal front-end for speaker activity detection in small meetings", IEEE/RSJ International Conference on Intelligent Robots and Systems, pp. 536-541, 2011.
25. J. Even, **P. Heracleous**, C. Ishi, and N. Hagita, "Range based multi microphone array fusion for speaker activity detection in small meetings", Interspeech 2011, pp. 2737-2740, 2011.
26. **P. Heracleous** and N. Hagita, "Automatic recognition of speech without any audio information", IEEE International Conference on Acoustics, Speech, and Signal Processing (ICASSP) 2011, pp. 2392-2395, 2011.
27. **P. Heracleous**, H. Ishiguro, and N. Hagita, "Visual-speech to text conversion applicable in telephone communication for deaf individuals", IEEE 18th International Conference on Telecommunications (ICT) 2011, pp. 57-60, 2011.
28. **P. Heracleous**, M. Sato, C. T. Ishi, and N. Hagita, "Investigating the role of the Lombard reflex in visual and audiovisual speech recognition", International Conference on Auditory-Visual Speech Processing 2010 (AVSP 2010), pp. 69--72, 2010.
29. **P. Heracleous** and N. Hagita, "Non-Audible Murmur recognition based on fusion of audio and visual streams", Interspeech 2010, pp. -, 2010.
30. **P. Heracleous**, P. Badin, G. Bailly, N. Hagita, "Exploiting multimodal data fusion in robust speech recognition", IEEE International Conference on Multimedia & Expo, pp. 568--572, 2010.
31. **P. Heracleous**, D. Beutemps, N. Hagita, "Gestures and Lip Shape Integration for Cued Speech Recognition", 20th International Conference on Pattern Recognition, 2010, pp. 2238-2241, 2010 .
32. Y. Atef, P. Badin, G. Bailly, **P. Heracleous**, "Acoustic-to-articulatory inversion using speech recognition and trajectory formation based on phoneme hidden Markov models", Interspeech 2009, pp. 2255--2258, 2009.
33. **P. Heracleous**, D. Beutemps, N. Aboutabit, "Cued Speech Recognition for Augmentative Communication in Normal-hearing and Hearing-impaired Subjects", Interspeech 2009, pp. 1383--1386., 2009.
34. N. Aboutabit, **P. Heracleous**, D. Beutemps, "Hand shape Coding for HMM-based Consonant Recognition in Cued Speech for French", 13th International Conference on Speech and Computer SPECOM'2009, pp. 109--112., 2009.

35. **P.Heracleous**, N.Aboutabit, D.Beautemps, "Alternative Speech Communication based on Cued Speech", EUSIPCO 2009, pp. 2196--2200, 2009.
36. **P.Heracleous**, N.Aboutabit, D.Beautemps, "HMM-based Vowel and Consonant Automatic Recognition in Cued Speech for French", VECIMS'09, pp. 33-37, 2009..
37. **P.Heracleous**, N. Aboutabit, and D. Beautemps,"Fusion of lip shape and hand gestures for vowel and consonant recognition in French Cued Speech, Speech and Face to Face Communication, A Workshop dedicated to the memory of Christian Benoit, pp. 107-108, October 2008.
38. D. Beautemps, N. Aboutabit, and **P.Heracleous**, "Face to Face Communication using Cued Speech", Speech and Face to Face Communication, A Workshop dedicated to the memory of Christian Benoit, pp. 102, October 2008.
39. **P.Heracleous**, T.Kaino, K.Shikano, "Tissue conductive unvoiced speech recognition in clean and noisy environments",10th International Conference on Speech and Computer, CD proceedings, October 2005.
40. **P.Heracleous**, Y.Nakajima, H.Saruwatari, K. Shikano,"A tissue-conductive acoustic sensor applied in speech recognition for privacy", Smart Objects & Ambient Intelligence sOc-EUSAI 2005, pp. 93-97, October 2005.
41. **P.Heracleous**, T.Kaino, H.Saruwatari, K.Shikano, "Investigating the role of the Lombard reflex in non-audible murmur (NAM) recognition", 9h International Conference on Spoken Language Processing (INTERSPEECH2005 – EUROSPEECH), pp. 2649-2652,September 2005.
42. **P.Heracleous**, T. Kaino, H. Saruwatari, K. Shikano, "Applications of NAM microphones in speech recognition for privacy in human-machine communication", 9h International Conference on Spoken Language Processing (INTERSPEECH05),pp. 3041-3044, September 2005.
43. **P.Heracleous**, Y.Nakajima, A. Lee, H. Saruwatari, K. Shikano, "Non-Audible Murmur (NAM) Speech Recognition Using a Stethoscopic NAM microphone", 8th International Conference on Spoken Language Processing (INTERSPEECH 2004- ICSLP), pp. II 1469-1472, 2004.
44. **P.Heracleous**, Y.Nakajima, A.Lee, H.Saruwatari, K.Shikano, "Audible (normal) Speech and Inaudible Murmur Recognition Using NAMmicrophone", 12th European Signal Processing Conference (EUSIPCO2004), pp. 329-332, September 2004.
45. Y.Nakajima, **P.Heracleous**, N.Campbell, K.Shikano, "Non-Audible Murmur Recognition",Special Workshop in Maui (SWIM), CD proceedings, January 2004.
46. **P.Heracleous**, Y.Nakajima, A.Lee, H.Saruwatari, K.Shikano, "Accurate Hidden Markov Models for Non-Audible Murmur (NAM) Recognition Based on Iterative Supervised Adaptation", IEEE Automatic Speech Recognition and Understanding Workshop, pp. 73-76, November 2003.
47. **P. Heracleous**, "Adaptation techniques for Non-Audible Murmur (NAM) recognition", NAIST COE, 2nd International Symposium on Ubiquitous Networked Media Computing,October 2003.
48. **P.Heracleous**, T.Shimizu, "An Efficient Keyword Spotting Technique Using a Complementary Language for Filler Models Training", 8th European Conference on Speech Communication and Technology (Eurospeech 2003), pp.921-924, September 2003.
49. **P.Heracleous**, S.Nakamura, K.Shikano, "A Semi-blind Source Separation Method for Hands-free Speech Recognition of Multiple Talkers", 8th European Conference on Speech Communication and Technology (Eurospeech 2003), pp. I-509 -512, September 2003.
50. S.Nakamura, **P.Heracleous**, "3-D N-Best Search for Simultaneous Recognition of Distant-Talking speech of Multiple Talkers", IEEE International Conference on Multimodal Interfaces (ICMI2002), pp. 59-63, October 2002.

51. **P.Heracleous**, S.Nakamura, K.Shikano, “Simultaneous Recognition of Distant-talking Speech of Multiple Sound Sources based on 3-D N-best Search Algorithm”, IEEE Automatic Speech Recognition and Understanding Workshop, pp. 103-106, December 2001.
52. **P.Heracleous**, S.Nakamura, K.Shikano, “A Microphone Array-based 3-D N-best Search Algorithm for Simultaneous Recognition of Multiple Sound Sources in Real Environments”, IEEE International Conference on Acoustics, Speech, and Signal Processing 2001, pp.193-196, May 2001.
53. **P.Heracleous**, S.Nakamura, K. Shikano, “Multiple Sound Sources Recognition by a Microphone Array-based 3-D N-best Search with Likelihood Normalization”, IEEE International Workshop on Hands-free Speech Communication, pp. 103-106, April 2001.
54. **P.Heracleous**, T.Yamada, S.Nakamura, and K.Shikano, “Simultaneous Recognition of Multiple Sound Sources Based on 3-D N-best Search using Microphone Array”, Eurospeech1999, pp. 69-72, September 1999.
55. S.Nakamura, T.Yamada, **P.Heracleous**, and K.Shikano, “Recognition of Distant-talking Speech Based on 3-D Trellis Search Using a Microphone Array and Adaptive Beamforming”, International Workshop on Robust Methods for Speech Recognition”, pp. 219-222, May 1999.

Domestic conferences

56. **P. Heracleous**, J. Even, C. Ishi, M. Kondo, K. Takanohara, T. Miyashita, and N. Hagita, “Lombard effect and Parkinson’s Disease”, 2012 Autumn Meeting of ASJ, pp. 109--112, 2012.
57. Jani Even, **Panikos Heracleous**, Carlos Ishi, Takahiro Miyashita, and Norihiro Hagita, “Harmonicity based fusion for speaker identification”, 2012 Autumn Meeting of ASJ, pp. 155—158, 2012.
58. **P.Heracleous**, J. Even, C. Ishi, T. Miyashita, and N. Hagita, “Subjective speech intelligibility tests in body-conductive acoustic sensors”, 2012 Spring Meeting of ASJ, pp. 251--254, 2012.
59. J. Even, **P. Heracleous**, C. Ishi, T. Miyashita, and N. Hagita, “Masking for multi-channel multi-party speaker identification”, 2012 Spring Meeting of ASJ, pp. 185--188, 2012.
60. **P.Heracleous**, C. Ishi, H. Ishiguro, and N. Hagita, “Investigating the use of NAM microphone in human-robot communication”, 2011 Autumn Meeting of ASJ, pp. 221-224, 2011.
61. **P. Heracleous**, J. Even, C. Ishi, H. Ishiguro, and N. Hagita, “Using alternate acoustic sensors for speech communication and robust speech recognition”, 2011 Autumn Meeting of ASJ, pp. 131-134, 2011.
62. J. Even, **P.Heracleous**, C. Ishi, T. Miyashita, and N. Hagita, “Multi-modal localization using LRFs and microphone array for hands-free speaker identification”, 2011 Autumn Meeting of ASJ, pp. --, 2011.
63. J. Even, **P.Heracleous**, C. Ishi, and N. Hagita, “Multi-modal speaker activity detection”, 2011 Spring Meeting of ASJ, pp. 181—184, 2011.
64. **P. Heracleous**, M. Sato, C. T. Ishi, H. Ishiguro, and N. Hagita, “Automatic lipreading in noisy environments”, 2011 Spring Meeting of ASJ, pp. 5--8, 2011.
65. **P. Heracleous** and N. Hagita, “A visual communication mode for deaf individuals”, 2011 Spring Meeting of ASJ, pp. 57--60, 2011.
66. **P.Heracleous**, P. Badin, G. Bailly, “Robust speech recognition exploiting electro-magnetic articulography (EMA) features”, 2010 Spring Meeting of ASJ, pp. 23--24, 2010.
67. **P. Heracleous**, C. T. Ishi, T. Ikeda, R. Matsumura, M. Shiomi, T. Miyashita, N. Hagita, “Environment description used in human-robot interaction based on multimodal information”, 2010 Spring Meeting of ASJ, pp. 215--216, 2010.
68. T. Kaino, T.Toda, **P.Heracleous**, H. Saruwatari, and K. Shikano, “An evaluation of speaking style independent acoustic model for body transmitted speech under noisy environments”, Acoustical Society of Japan, September 2005.(In Japanese).

69. T.Kaino, T.Toda, **P.Heracleous**, H.Saruwatari, and K.Shikano, “Acoustic modeling preliminary investigation for body-conductive multi-style speech”, IEICE Technical Report, pp.1 --6, June 2005.
 70. K.Takenae, Y.Nakajima, **P.Heracleous**, A.Lee, H.Saruwatari, and K. Shikano, “Noise-reduction for NAM (Non-Audible Murmur) recognition under noisy environment”,Acoustical Society of Japan, pp. 119-120, March 2005.
 71. K.Takenae,Y.Nakajima, **P.Heracleous**, A.Lee, H.Saruwatari, and K.Shikano, “Evaluation of NAM (Non-Audible Murmur) recognition under noisy environment”,Acoustical Society of Japan, pp. 31-32, September 2004.
 72. **P.Heracleous**, Y.Nakajima, A.Lee, H.Saruwatari, and K.Shikano, “A baseline study on speaker-independent Non-Audible Murmur (NAM) speech recognition”, Acoustical Society of Japan, pp. 177--178, September 2004.
 73. **P.Heracleous**, Y.Nakajima, A.Lee, H.Saruwatari, and K.Shikano, “Normal speech recognition exploiting advantages of the Non-Audible Murmur (NAM) microphone”, Acoustical Society of Japan, pp. 147--148, March 2004.
 74. **P.Heracleous**, Y.Nakajima, A.Lee, H.Saruwatari, and K.Shikano, “Non-Audible Murmur (NAM) Recognition Exploiting Adaptation Techniques”, SP2003-170 (2004-01), pp.1—5, January 2004.
 75. **P.Heracleous**, Y.Nakajima, A.Lee, H.Saruwatari, and K.Shikano, “Recognition of Non-Audible-Murmur (NAM) based on iterative supervised adaptation ”, Acoustical Society of Japan, pp. 131-132, September 2003.
 76. M.Yamada, **P.Heracleous**, and T.Shimizu,”Evaluation of the keyword spotter based on bilingual hidden Markov models under several experimental conditions”, Acoustical Society of Japan, pp. 169--170, 2003.
 77. **P.Heracleous**, and T.Shimizu, “A novel two-pass keyword spotting technique based on bilingual hidden Markov models”, Acoustical Society of Japan, pp. 89--90, March 2003.
 78. **P.Heracleous**, S.Nakamura, and K.Shikano, “Integrated Simultaneous Talker Localization and Speech Recognition based on the 3-D N-best Search”, Acoustical Society of Japan, pp. 185-186, March 2001.
 79. **P.Heracleous**, S.Nakamura, and K.Shikano, “A Technique for Likelihood Normalization in the 3-D N-best Search for Simultaneous Recognition of Multiple Sound Sources”, Acoustical Society of Japan, pp. 117-118, September 2000.
 80. **P.Heracleous**, S. Nakamura, and K. Shikano, “Evaluation of 3-D N-best Search Using Path Distance-based Clustering for Recognizing Multiple Sound Sources”, Acoustical Society of Japan, pp. 157-158, March 2000.
 81. **P.Heracleous**, S.Nakamura, and K.Shikano, “An Improvement to 3-D N-best Search using Path Distance-based Clustering”, IEICE Technical Report, pp. 85-89, December 1999.
 82. **P.Heracleous**, T.Yamada, S.Nakamura, and K.Shikano, “Simultaneous Recognition of Multiple Sound Sources Based on 3-D N-best Search”, Acoustical Society of Japan, pp.91-92, March 1999.
- Patents**
83. **P.Heracleous**, T. Shimizu, “A Keyword Speech Recognition System for Japanese”, P2004-309504A. (IN JAPANESE).
- Thesis**
84. **P.Heracleous**, “Simultaneous Recognition of Distant-talking Speech of Multiple Sound Sources”, Doctor Thesis, February 2002.
 85. **P.Heracleous**, “Comparison of Speech Coding Algorithms”, Master Thesis, 1992.